

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the present application.

Listing of Claims:

1-9. (Canceled)

10. (Currently Amended) A crystalline form according to ~~claim 4~~ (Form A) of 4-(3-chloro-4-(cyclopropylaminocarbonyl)aminophenoxy)-7-methoxy-6-quinolinecarboxamide methanesulfonate having diffraction peaks at diffraction angles ($2\theta \pm 0.2^\circ$) of 9.65° and 18.37° in a powder X-ray diffraction.

11. (Currently Amended) A crystalline form according to ~~claim 4~~ (Form A) of 4-(3-chloro-4-(cyclopropylaminocarbonyl)aminophenoxy)-7-methoxy-6-quinolinecarboxamide methanesulfonate having peaks at chemical shifts of about 162.4 ppm, about 128.0 ppm, about 102.3 ppm and about 9.9 ppm in a ^{13}C Solid State Nuclear Magnetic Resonance spectrum.

12. (Currently Amended) A crystalline form according to ~~claim 4~~ (Form A) of 4-(3-chloro-4-(cyclopropylaminocarbonyl)aminophenoxy)-7-methoxy-6-quinolinecarboxamide methanesulfonate having absorption bands at wavenumbers of $1161 \pm 1 \text{ cm}^{-1}$ and $1044 \pm 1 \text{ cm}^{-1}$ in an infrared absorption spectrum.

13. (**Currently Amended**) A crystalline form ~~according to claim 4~~ (Form B) of 4-(3-chloro-4-(cyclopropylaminocarbonyl)aminophenoxy)-7-methoxy-6-quinolinecarboxamide methanesulfonate having diffraction peaks at diffraction angles ($2\theta \pm 0.2^\circ$) of 5.72° and 13.84° in a powder X-ray diffraction.

14. (**Currently Amended**) A crystalline form ~~according to claim 4~~ (Form B) of 4-(3-chloro-4-(cyclopropylaminocarbonyl)aminophenoxy)-7-methoxy-6-quinolinecarboxamide methanesulfonate having absorption bands at wavenumbers of $1068 \pm 1 \text{ cm}^{-1}$ and $918 \pm 1 \text{ cm}^{-1}$ in an infrared absorption spectrum.

15. (**Currently Amended**) A crystalline form ~~according to claim 4~~ (Form C) of 4-(3-chloro-4-(cyclopropylaminocarbonyl)aminophenoxy)-7-methoxy-6-quinolinecarboxamide methanesulfonate having diffraction peaks at diffraction angles ($2\theta \pm 0.2^\circ$) of 14.20° and 17.59° in a powder X-ray diffraction.

16. (**Currently Amended**) A crystalline form ~~according to claim 4~~ (Form C) of 4-(3-chloro-4-(cyclopropylaminocarbonyl)aminophenoxy)-7-methoxy-6-quinolinecarboxamide methanesulfonate having peaks at chemical shifts of about 160.2 ppm, about 126.6 ppm, about 105.6 ppm and about 7.8 ppm in a ^{13}C Solid State Nuclear Magnetic Resonance spectrum.

17. (**Currently Amended**) A crystalline form ~~according to claim 4~~ (Form C) of 4-(3-chloro-4-(cyclopropylaminocarbonyl)aminophenoxy)-7-methoxy-6-quinolinecarboxamide

methanesulfonate having absorption bands at wavenumbers of $1324 \pm 1 \text{ cm}^{-1}$ and $579 \pm 1 \text{ cm}^{-1}$ in an infrared absorption spectrum.

18. **(Currently Amended)** A crystalline form ~~according to claim 5~~ (Form F) of a hydrate of 4-(3-chloro-4-(cyclopropylaminocarbonyl)aminophenoxy)-7-methoxy-6-quinolinecarboxamide methanesulfonate having diffraction peaks at diffraction angles ($2\theta \pm 0.2^\circ$) of 8.02° and 18.14° in a powder X-ray diffraction.

19. **(Currently Amended)** A crystalline form ~~according to claim 7~~ (Form I) of an acetic acid solvate of 4-(3-chloro-4-(cyclopropylaminocarbonyl)aminophenoxy)-7-methoxy-6-quinolinecarboxamide methanesulfonate having diffraction peaks at diffraction angles ($2\theta \pm 0.2^\circ$) of 9.36° and 12.40° in a powder X-ray diffraction.

20. **(Currently Amended)** A crystalline form ~~according to claim 7~~ (Form I) of an acetic acid solvate of 4-(3-chloro-4-(cyclopropylaminocarbonyl)aminophenoxy)-7-methoxy-6-quinolinecarboxamide methanesulfonate having absorption bands at wavenumbers of $1750 \pm 1 \text{ cm}^{-1}$ and $1224 \pm 1 \text{ cm}^{-1}$ in an infrared absorption spectrum.

21. **(Currently Amended)** A crystalline form ~~according to claim 8~~ (Form α) of 4-(3-chloro-4-(cyclopropylaminocarbonyl)aminophenoxy)-7-methoxy-6-quinolinecarboxamide ethanesulfonate having diffraction peaks at diffraction angles ($2\theta \pm 0.2^\circ$) of 15.70° and 17.18° in a powder X-ray diffraction.

22. **(Currently Amended)** A crystalline form ~~according to claim 8~~ (Form α) of 4-(3-chloro-4-(cyclopropylaminocarbonyl)aminophenoxy)-7-methoxy-6-quinolinecarboxamide ethanesulfonate having absorption bands at wavenumbers of $1320 \pm 1 \text{ cm}^{-1}$ and $997 \pm 1 \text{ cm}^{-1}$ in an infrared absorption spectrum.

23. **(Currently Amended)** A crystalline form ~~according to claim 8~~ (Form β) of 4-(3-chloro-4-(cyclopropylaminocarbonyl)aminophenoxy)-7-methoxy-6-quinolinecarboxamide ethanesulfonate having diffraction peaks at diffraction angles ($2\theta \pm 0.2^\circ$) of 6.48° and 9.58° in a powder X-ray diffraction.

24. **(Currently Amended)** A crystalline form ~~according to claim 8~~ (Form β) of 4-(3-chloro-4-(cyclopropylaminocarbonyl)aminophenoxy)-7-methoxy-6-quinolinecarboxamide ethanesulfonate having absorption bands at wavenumbers of $1281 \pm 1 \text{ cm}^{-1}$ and $985 \pm 1 \text{ cm}^{-1}$ in an infrared absorption spectrum.

25. **(Currently Amended)** A process for preparing a crystalline form of 4-(3-chloro-4-(cyclopropylaminocarbonyl)aminophenoxy)-7-methoxy-6-quinolinecarboxamide methanesulfonate (Form A), comprising a step of mixing 4-(3-chloro-4-(cyclopropylaminocarbonyl)aminophenoxy)-7-methoxy-6-quinolinecarboxamide, ~~a solvent~~ methanol and methanesulfonic acid to dissolve.

26. **(Currently Amended)** A process for preparing a crystalline form of 4-(3-chloro-4-(cyclopropylaminocarbonyl)aminophenoxy)-7-methoxy-6-quinolinecarboxamide methanesulfonate (Form A), comprising: ~~a step of~~ mixing 4-(3-chloro-4-(cyclopropylaminocarbonyl)aminophenoxy)-7-methoxy-6-quinolinecarboxamide, acetic acid and methanesulfonic acid to dissolve; and adding ethanol to the mixture.

27. **(Currently Amended)** A process for preparing a crystalline form of 4-(3-chloro-4-(cyclopropylaminocarbonyl)aminophenoxy)-7-methoxy-6-quinolinecarboxamide methanesulfonate (Form B), comprising a step of drying a crystalline form of the acetic acid solvate of 4-(3-chloro-4-(cyclopropylaminocarbonyl)aminophenoxy)-7-methoxy-6-quinolinecarboxamide methanesulfonate (Form I) at 30°C for 3 hours and at 40°C for 16 hours to remove acetic acid.

28. **(Currently Amended)** A process for preparing a crystalline form of 4-(3-chloro-4-(cyclopropylaminocarbonyl)aminophenoxy)-7-methoxy-6-quinolinecarboxamide methanesulfonate (Form C), comprising a step of heating a crystalline form of the dimethyl sulfoxide solvate of 4-(3-chloro-4-(cyclopropylaminocarbonyl)aminophenoxy)-7-methoxy-6-quinolinecarboxamide methanesulfonate at 115°C for 10 hours.

29. **(Currently Amended)** A process for preparing a crystalline form of 4-(3-chloro-4-(cyclopropylaminocarbonyl)aminophenoxy)-7-methoxy-6-quinolinecarboxamide

methanesulfonate (Form C), comprising a step of mixing a crystalline form of the acetic acid solvate of 4-(3-chloro-4-(cyclopropylaminocarbonyl)aminophenoxy)-7-methoxy-6-quinolinecarboxamide methanesulfonate (Form I) and a solvent: ethanol.

30. **(Currently Amended)** A process for preparing a crystalline form of 4-(3-chloro-4-(cyclopropylaminocarbonyl)aminophenoxy)-methoxy-6-quinolinecarboxamide methanesulfonate (Form C), comprising: ~~a step of~~
mixing 4-(3-chloro-4-(cyclopropylaminocarbonyl)aminophenoxy)-7-methoxy-6-quinolinecarboxamide, acetic acid and methanesulfonic acid to dissolve; and
adding 2-propanol to the mixture.

31. **(Original)** A process for preparing a crystalline form of 4-(3-chloro-4-(cyclopropylaminocarbonyl)aminophenoxy)-7-methoxy-6-quinolinecarboxamide methanesulfonate (Form C), comprising a step of humidifying a crystalline form of 4-(3-chloro-4-(cyclopropylaminocarbonyl)aminophenoxy)-7-methoxy-6-quinolinecarboxamide methanesulfonate (Form B).

32. **(Currently Amended)** A process for preparing a crystalline form of the hydrate of 4-(3-chloro-4-(cyclopropylaminocarbonyl)aminophenoxy)-7-methoxy-6-quinolinecarboxamide methanesulfonate (Form F), comprising: ~~a step of~~
mixing 4-(3-chloro-4-(cyclopropylaminocarbonyl)aminophenoxy)-7-methoxy-6-quinolinecarboxamide, acetic acid and methanesulfonic acid to dissolve and

adding ethyl acetate to the mixture.

33. **(Currently Amended)** A process for preparing a crystalline form of the acetic acid solvate of 4-(3-chloro-4-(cyclopropylaminocarbonyl)aminophenoxy)-7-methoxy-6-quinolinecarboxamide methanesulfonate (Form I), comprising: ~~a step of~~ mixing 4-(3-chloro-4-(cyclopropylaminocarbonyl)aminophenoxy)-7-methoxy-6-quinolinecarboxamide, acetic acid and methanesulfonic acid to dissolve; and adding 1-propanol to the mixture.

34. **(Currently Amended)** A process for preparing a crystalline form of 4-(3-chloro-4-(cyclopropylaminocarbonyl)aminophenoxy)-7-methoxy-6-quinolinecarboxamide ethanesulfonate (Form α), comprising a step of mixing 4-(3-chloro-4-(cyclopropylaminocarbonyl)aminophenoxy)-7-methoxy-6-quinolinecarboxamide, a solvent dimethyl sulfoxide and ethanesulfonic acid to dissolve.

35. **(Currently Amended)** A process for preparing a crystalline form of 4-(3-chloro-4-(cyclopropylaminocarbonyl)aminophenoxy)-7-methoxy-6-quinolinecarboxamide ethanesulfonate (Form β), comprising a step of mixing a crystalline form of 4-(3-chloro-4-(cyclopropylaminocarbonyl)aminophenoxy)-7-methoxy-6-quinolinecarboxamide ethanesulfonate (Form α) and a solvent: ethanol.

36. (**Currently Amended**) A process for preparing a crystalline form of 4-(3-chloro-4-(cyclopropylaminocarbonyl)aminophenoxy)-7-methoxy-6-quinolinecarboxamide ethanesulfonate (Form β), comprising: ~~a step of~~
mixing 4-(3-chloro-4-(cyclopropylaminocarbonyl)aminophenoxy)-7-methoxy-6-quinolinecarboxamide, acetic acid and ethanesulfonic acid to dissolve; and
adding 2-propanol and water to the mixture.

37. (**Currently Amended**) A pharmaceutical composition in the form of a tablet,
powder, granule, capsule or lozenge, said pharmaceutical composition comprising the crystalline
form according to claim ~~[[1.]]~~ 15; and
a pharmaceutically acceptable carrier.

38-50. (**Canceled**)